PACE-IIT& MEDICAL







PA

Mumbai Topper

PACE-IIT & MEDICAL

ACE OF PACE

(Medical Study Material 2026-28) Grade X moving XI

SECTION – 1 (PHYSIC)

• '	•	ER, ENERGY			
1.			the x-axis. The work done b	y this force as the body mo	ves
	from $x = 0$ to $x =$		(2) 12 I	(4) 1CT	
	(1) 8J	(2) 10 J	(3) 12 J	(4) 16 J	
2.	· -	x of mass 10 kg with a What is the work done	_	of 60° above the horizontal over	er a
	(1) 100 J	(2) 80 J	(3) 60 J	(4) 40 J	
3.	The kinetic energ	gy of a body becomes 4	times its initial value. Its ve	_	
	(1) 2 times	(2) 4 times	(3) 8 times	(4) $\sqrt{2}$ times	
4.	A spring is comp is:	pressed by 10 cm. If its	spring constant is 400 N/n	n, the potential energy stored i	n it
	(1) 1 J	(2) 2 J	(3) 0.5 J	(4) 0.25 J	
5.	A machine does (1) 750 W	1500 J of work in 2 min (2) 25 W	nutes. Its power is: (3) 12.5 W	(4) 400 W	
6.	A man lifts a box (Take $g = 10 \text{ m/s}$		2 m in 5 seconds. What is 1	nis power output?	
	(1) 40 W	(2) 80 W	(3) 100 W	(4) 200 W	
7.	A body of mass 2 its speed?	2 kg is moving with vel	ocity 3 m/s. How much add	litional work is required to dou	ıble
	(1) 18 J	(2) 9 J	(3) 27 J	(4) 12 J	
8.	A particle of ma seconds, starting		der a constant force of 10	N. What is the work done i	n 3
	(1) 45 J		(3) 135 J	(4) 225 J	
9.	A block of mass the bottom?	5 kg slides down a fri	ctionless incline of height	4 m. What is its kinetic energy	y at
	(1) 100 J	(2) 120 J	(3) 200 J	(4) 250 J	
10.	A bullet of mass energy.	s 10 g moving at 400	m/s embeds into a block of	of 990 g. Find the loss in kin	etic
	(1) $720 \mathrm{J}$	(2) 792 J	(3) 640 J	(4) 560 J	

- 11. The area under a Force vs Displacement graph represents:
 - (1) Work done
- (2) Power
- (3) Acceleration
- (4) Energy per unit mass
- A body of mass 1 kg falls freely for 2 s. The work done by gravity is: 12.
 - (1) 19.6 J
- (2) 120.2 J
- (3) 192.08 J
- (4) 300 J
- A pump of power 1000 W lifts water to a height of 10 m in 20 s. How much water (in kg) is lifted? 13. (Take $g = 10 \text{ m/s}^2$)
 - (1) 100 kg
- (2) 150 kg
- (3) 200 kg
- (4) 250 kg
- A particle's kinetic energy is given by $K = 3t^2$. What is the power delivered to the particle at t = 2 s? 14.
 - (1) 6 W
- (2) 12 W
- (3) 24 W
- (4) 36 W
- 15. A body moves in a circle at constant speed. What is the work done by the centripetal force?
 - (1) positive
- (2) Negative
- (3) Zero
- (4) Increasing


Light

- 16. The mirror used in automobiles to see the rear field to view is
 - (1) concave
- (2) convex
- (3) plane
- (4) None

- 17. The image is always erect in:
 - (1) Plane mirror
- (2) Concave mirror
- (3) Convex mirror
- (4) both (|a) and (c)
- A ray of light is incident from air to water at an angle of incidence = 600. Find the angle of 18. refraction. (Given $\mu_{water} = 4/3$)


- (1) $\sin^{-1}(3\sqrt{3}/8)$ (2) $\sin^{-1}(2/\sqrt{3})$ (3) $\sin^{-1}\left(\frac{3\sqrt{3}}{2}\right)$ (4) $\sin^{-1}\left(\frac{4}{\sqrt{3}}\right)$
- 19. The ratio of refractive index of red light to that of blue light
 - (1) Equal to 1
- (2) Greater than 1
- (3) Less than 1
- (4) None
- 20. For an object placed at a distance 20 cm in front of a convex lens, the image is at distance of 10 cm behind the lens. The focal length of convex lens is:
 - (1) $\frac{20}{3}$ cm
- (2) 10 cm
- (3) 15 cm
- (4) 40 cm

- 21. The power of a lens having focal length 50 cm is
 - (1) 1/2 D
- (2) 2 D
- (3) 3 D
- (4) 0.2 D
- 22. A convex mirror has its radius of curvature 20 cm. Find the position of the image of an object placed at a distance of 12 cm from the mirror.




- (1) 60/11 cm
- (2) 18/11 cm
- (3) 11/60 cm
- (4) 11/18 cm


- 23. An object of length 2.0 cm is placed perpendicular to the principal axis of a convex lens of focal length 12 cm. Find the size of the image if the object is at a distance of 8.0 cm from the lens.
 - (1) -6 cm
- (2) -1.5 cm
- (3) 6 cm
- 24. A ray of light is incident at the glass water interface at an angle 'i'. It emerges finally parallel to the surface of water. The value of μ_g would be _____



- (3) $\frac{4}{3}$
- (4) 1
- 25. A thin lens is made with a material having refractive index $\mu = 1.5$. Both the sides are convex. It is dipped in water ($\mu = 1.33$). It will behave like ___
 - (1) a convergent lens (2) a divergent lens
- (3) a rectangular slab
- (4) a prism
- 26. ____ image is formed on the same side of the lens and _____ image is formed on the other side of the lens.
 - (1) real, real
- (2) Virtual, virtual
- (3) real, Virtual
- (4) virtual, real
- 27. A man is standing at a position X in front of a plane mirror, at a distance of y metre from the mirror as shown in the figure. When the man moves 5 m away from the mirror, the new distance between the man and his image becomes 20 metre. What is the value of y?



- (3) 20
- (4) 40
- A point object O is placed at distance of 20 cm from a convex lens of focal length 10 cm as shown in 28. the figure. At what distance 'x' from the lens should a concave mirror of focal length 10 cm, be placed so that final image coincided with the object?



- (1) 10 cm
- (2) 20 cm
- (3) 40 cm
- (4) both (b) and (c)
- A fish looking up through the water sees the outside3 world contained in a circular horizon. If the 29. refractive index of water is $\frac{4}{3}$ and the fish is 12cm below the surface, what is the radius of the circle?
 - (1) $12 \times 8 \times \sqrt{5} \text{ cm}$ (2) $12 \times \sqrt{\frac{5}{3}} \text{ cm}$ (3) $12 \times \sqrt{7} \text{ cm}$ (4) $12 \times \frac{3}{\sqrt{7}} \text{ cm}$

- 30. A convex lens forms a real image of a point object place on its principal axis. If the upper half of the lens is painted black,
 - (1) the image will be shifted downwards
- (2) the image will be shifted upwards
- (3) the intensity of the image will decrease
- (4) none of these

FORCE

- 31. Inertia depends upon:
 - (1) acceleration of the body
 - (3) shape of the body

- (2) velocity of the body
- (4) mass of the body

- 32. The law which defines force is
 - (1) Newton's third law
 - (3) Newton's second law

- (2) Newton's first law
- (4) none of these
- 33. When an object undergoes acceleration
 - (1) Its speed always increases
 - (3) It always falls towards the earth
- (2) Its velocity always increases
- (4) A force always acts on it
- Calculate the magnitude of resultant of two like parallel forces of 20 N separated by a distance of 20 34. cm
 - (1) 40 N
- (2) 60 N
- (3) 20 N
- (4) 0 N
- 35. A 1 m long uniform beam of 2 kg mass is being lifted vertically up by a force F at the 100 cm. What is the minimum force required to do so?



- (1) 1 N
- (2) 2 N
- (3) 10 N
- (4) 20 N

- 36. The position of centre of gravity depend on
 - (1) Shape
- (2) Weight
- (3) Volume
- (4) Both a and b
- 37. A slotted head screw is torqued to 4 Nm using a screw driver having a blade of 5 mm width. The couple force exerted by the blade edges on the screw slot is
 - (1) 4 N
- (2) 800 N
- (3) 400 N
- (4) 20 N
- A man sitting in a train in motion is facing the engine. He tosses a coin up, the coin falls behind him. 38. The train is moving:
 - (1) forward with uniform speed
- (2) backward with uniform speed


(3) forward with acceleration

- (4) forward with retardation
- A force $f = (10\hat{i} + 8\hat{j} 5k)$ acts a point P(2, 5, 6). What will be the moment of the force about the 39. point

Q (3, 1, 4)?

- (1) $-36\hat{i}+15\hat{j}-48k$ (2) $18\hat{i}+19\hat{j}-37k$ (3) $32\hat{i}-31\hat{j}-4k$

The diagram below shows a pulley arrangement. Q 40 – Q 43based on the diagram



- 40. Name the pulleys A and B
 - (1) A = Fixed pulley; B = Fixed pulley
- (2) A = Fixed pulley; B = Movable pulley
- (3) A = Movable pulley ; B = Fixed pulley
- (4) A = Movable pulley ; B = Movable pulley
- 41. If the tension is T, deduce the relation between T and E
 - (1)T = 2E
- (2) E = 2T
- (3) E = T
- (4) E = 3T

- 42. What is the velocity ratio of the arrangement?
 - (1) 1

(2) 2

(3) 3

- (4) 4
- Assuming that the efficiency of the system is 100% what is the mechanical advantage? 43.
 - (1) 1

(2) 2

(3) 3

(4) 4

- The point at which entire weight of body is concentrated is 44.
 - (1) centre of gravity (2) end point
- (3) centroid
- (4) central point
- The moment of force of 2N about a point is 7Nm. The distance of point of the force from point is 45.
 - (1) 3m
- (2) 0.35 m
- (3) 5m
- (4) 3.5 m

	SECTION – 2 (0	CHEMISTRY)	
PERI	ODIC CLASSIFICATION OF ELEMENT		
1.	The elements of the group 16 are also called (1) halogens (2) noble gases	(3) chalcogens ((4) alkaline earth metals
2.	In the periodic table from left to right in a period (1) decreases (3) remains same	the atomic volume (2) increases(4) first decreases then in	ncreases
3.	Which of the following remains unchanged on de (1) Valence electrons (2) Atomic size		eriodic table? (4) Metallic character
4.	The amount of energy released on the addition of (1) ionization energy (3) electron affinity	f an electron in outermost s (2) hydration energy (4) electron negativity	hell of an atom is called
5.	Electron affinity depend on (1) Atomic size (3) Atomic number	(2) Nuclear charge(4) Both atomic size and r	nuclear charge
6.	The number of elements present in fifth period is (1) 18 (2) 6		(4) 32
7.	Gradual addition of electronic shell in the noble (1) Ionization energy (2) Atomic radius	gases causes a decrease in t	· /
8.	The elements of group 1 are called alkali metals the metals are corroded by alkali their hydrides are strongly alkaline 	because (2) their oxides are alkali (4) none of these	ine
9.	Ionization potential is (1) The tendency of an atom to lose an electron (3) The tendency of cation to gain electron	· · ·	
10.	The most non-metallic element is (1) Sodium (2) Helium	(3) Chlorine ((4) Fluorine
11.	The lightest metal in periodic table is (1) Magnesium (2) Zinc	(3) Lithium ((4) Sodium
12.	Which of the following has highest electronegati (1) Carbon (2) Magnesium	•	(4) Sulphur
13.	The elements with atomic numbers 4, 12, 20, 38, (1) Alkali metals (3) Inert gases	56, 88 belong to which of(2) Alkaline earth metals(4) Halogens	

Halogens are placed in which group of elements in modern periodic table?

(2) 2

14.

15.

(1) 17

(3) 4

(4) 6

16.	Which of the follow (1) Mg	wing element would lose a (2) Ca		on easily? Na	(4) K
17.		ic table was prepared by	(2)		(4) 14 11
	(1) Newlands	(2) Dalton	(3)	Moseley	(4) Mendeleev
18	of the follow	ving triads does not follow	v Dobere	iner's law of triads.	
	(1) Li, Na, K	(2) Ca, Sr, Ba		Cl, Br I	(4) Cu, Ag, Au
19.	_	ands octave, chlorine sho		-	
	(1) Beryllium	(2) Fluorine	(3)	lithium	(4) Sodium
20.		etrons in the outermost she			
	(1) 1	(2) 2	(3)	3	(4) 7
CHE	MICAL REACTIO	N			
21.	Which of the given	chemical equations is ba	lanced?		
	$(1) H_2O_2 \to H_2O$	$+ O_2$	(2)	$NaNO_3 \rightarrow NaNO_2$	$+ O_2$
	$(3) \text{CaCO}_3 \rightarrow \text{CaO}_3$	$O + CO_2$	(4)	$Al_2CO_3 \rightarrow Al_2O_3$	$+ CO_2$
22.	(1) It must be accordance(2) At least one of	wing conditions is necessar mpanied with change in to the reactants must be in a the law of conservation or	emperatu fixed qu	re and pressure	
	(4) All of the above				
23.		lo two compounds exchar	_		<u> </u>
	(1) Displacement(3) Synthesis reac			Double displacem Decomposition rea	
24.	Identify the substar	nce which reduces a comp	ound		
	(1) A hydrating ag	<u> </u>		A dehydrating age	ent
	(3) An oxidizing a		(4)	A reducing agent	
25.	Identify the type of	Freaction: $H_2 + Cl_2 \rightarrow 2H$	C1		
	(1) Decomposition			Combination react	tion
	(3) Double displace	cement reaction	(4)	Displacement reac	ction
26.	Which of the follow	wing is a redox reaction?			
	(1) $CaCO_3 \rightarrow CaO_3$, ,	$CuO + H_2 \rightarrow Cu +$	
	(3) CaO + 2HCl -	\rightarrow CaCl ₂ + H ₂ O	(4)	$NaOH + HCl \rightarrow N$	$NaC1 + H_2O$
27.	Which of the follow	wing statements is correct	about th	e given reaction? Z	$nO + CO \rightarrow Zn + CO$
	(1) ZnO is being of			CO is being reduc	
	(3) CO is oxidizin	ag agent	(4)	ZnO is being redu	ced
28.	How is the decomp	osition of silver chloride	carried o	out?	
	(1) By electricity	(2) By sunlight	(3)	By heat	(4) By water
29.	Which metal can p	revent the corrosion of tin	ı?		
	-	(2) Copper		Lead	(4) Silver

30.	Which gas is used in f	lush bags of chips to preve	ent ox	aidation?		
	(1) Helium	(2) Neon	(3)	Nitrogen	(4)	Argon
31.	Lime water turns milk	y when gas is p	assed	through it.		
	(1) H_2	(2) CO		CO_2	(4)	SO_2
32.		ll be formed if we add con				
	(1) KNO ₃	(2) AgNO ₃	(3)	CuSO ₄	(4)	Na_2SO_4
33.		n from a reactant is called				
	(1) oxidation	(2) corrosion	(3)	rancidity	(4)	reduction
34.		are balanced in accorda				·
	(1) conservation of m	nomentum	(2)	conservation of mas	SS	
	(3) conservation of ve	elocity	(4)	conservation of spec	ed	
35.	Which of the following	g is an exothermic reaction	1?			
	(1) electrolysis of wa	ter	(2)	cellular respiration		
	(3) process of photos	ynthesis	(4)	conversion of lime	stone	into quicklime
36.		ım nitrate in water is a				
	(1) oxidation reaction	n (2) reduction reaction	(3)	exothermic process	(4)	endothermic process
37.		ust with copper sulphate so				·
	(1) combination react	tion	(2)	decomposition reac	tion	
	(3) displacement reac	etion	(4)	double displacemen	it rea	ction
38.	$CaCO_3 \rightarrow CaO + CO_2$	is areaction				
	(1) combination		(2)	displacement		
	(3) double displacement	ent	(4)	decomposition		
39.		g is not a balanced chemic				
	$(1) 2Mg + O_2 \rightarrow 2Mg$	gO	(2)	$NH_3 + HCl \rightarrow NH_4$	Cl	
	(3) NaOH + H2SO4 -	gO $\rightarrow Na_2SO_4 + H_2O$	(4)	$SO_2 + 2H_2S \rightarrow 3S$	+ 2H ₂	2O
40.		th dilute nitric acid gives _		_		
	(1) nitrogen	(2) nitrogen dioxide	(3)	hydrogen	(4)	nitric oxide

SECTION – 3 (BIOLOGY)

LIFE PROCESS

1.	Where does the light reaction takes place? (1) Grana (3) Cytoplasm	(2) Stroma (4) Endoplasmic reticu	lum
2.	Which one of the following process occurs duri (1) Reduction of carbohydrates into carbon die (2) Conversion of light energy to chemical ene (3) Emission of light energy by chlorophyll. (4) Conversion of hydrogen and oxygen into v	oxide. ergy.	
3.	Where does the Calvin cycle take place? (1) stroma of the chloroplast (3) cytoplasm surrounding the chloroplast	(2) thylakoid membra(4) chlorophyll molec	
4.	During photosynthesis, carbon dioxide is taken (1) Stomata (2) Guard cells	in through tiny pores call (3) Xylem vessels	ed: (4) Phloem fibers
5.	Sweet potato is an underground structure which (1) Leaves (2) Fruit	stores food. Where is the (3) Stem	e food prepared in this plant? (4) Root
6.	What do you mean by photo autotrophs? (1) Oxidation of chemicals without sunlight (2) Plants synthesize their food themselves (3) Process of making food for plants and anim (4) All of the given options are correct	nals	
7.	What are the products formed during photosynt (1) Glucose, Water and Oxygen (3) Starch and Oxygen	hesis? (2) Glucose and Oxyg (4) Starch, Water and	
8.	The chlorophyll in photosynthesis is used for (1) Absorbing light (2) Breaking down (3) No function (4) Reduction of Co		
9.	Identify the element that helps to trap light ener (1) Cristae (2) Amyloplasts	rgy that is essential for pho (3) Carotenoid	otosynthesis. (4) Vacuoles
10.	Photosynthesis is a (1) Catabolic process (2) Parabolic process	(3) Amphibolic process	s (4) Photochemical process
11.	Which of the following equations is the summa (1) $6CO_2 + 12H_2O C6H_{12}O_6 + 6O_2 + 6H_2O$ (2) $6CO_2 + H_2O + Sunlight \rightarrow C_6H_{12}O_6 + O_2 - (3)$ $6CO_2 + 12H_2O + Chlorophyll + Sunlight - (4) 6CO_2 + 12H_2O + Chlorophyll + Sunlight - (4)$	$+ 6H_2O$ $\rightarrow C6H_{12}O_6 + 6O_2 + 6H_2O$	₂ O
12.	Phytochrome pigment is present in(1) stems (2) leaves	(3) fruits	(4) flowers

13.	Cut leaves remain gr (1) cytokinins	een for longer time when (2) ethylene		in cytokinins gibberellin	(4) auxins
14.	Production of seedle	ss fruits is referred to as _			
		(2) parthenogenesis			(4) exocarpy
15.		ants is caused by	(2)		
	(1) abscisic acid	(2) gibberellins	(3)	florigens	(4) ethylene.
16.		higher plants is due to			
	(3) supply of carbohy	auxins and cytokinins ydrates		photoperiodism	
17.		ocess in which	·		
	(1) energy is stored i(2) energy is released(3) energy is not rele(4) energy is used up	d and stored in the form of ased at all	f ATP		
18.	Glucose gets convert	ted into pyruvate in	_		
	(1) mitochondria		(3)	cytoplasm	(4) yeast
19.	How many molecule (1) 36	es of ATP are gained durin (2) 2	ig anae (3)	-	of one molecule of glucose? (4) 4
20.	-	respiration is(2) electrical		mechanical	(4) radiant
21.	(1) Carry blood from(2) Supply oxygena(3) Carry blood away	aned as the vessels which. In one visceral organ to an ated blood to the different ay from the heart to different apillaries which reunite to	organs ent org	ans.	
22.	Sino-atrial node (SA	N) is a patch of nodal tiss	ue pres	ent in	
	(1) Right upper cor(3) Right lower cor	•		Left upper corne Left lower corne	
23.	Role of pacemaker is				
	(1) Initiate heartbea(3) Decrease heartb		(2) (4)	Increase heartbean No effect on hear	
24.	The respiratory pigm (1) Carotene	nent in human beings is: (2) Chlorophyll	(3)	Haemoglobin	(4) Mitochondria
25.	(a) Pulmonary arter(b) It carries carbon		lungs. d from (2)		eart. d (c) are true
26.	Which of the following	ng cells get activated duri	ng blee	eding?	
	(1) RBC	(2) WBC	(3)	Platelets	(4) None of the above

27.	(1) The blood floo	tion is w from heart to the body	•							
		w from heart to the lung								
		w from lungs to the hear w from the body cells to								
28.	Name a circulatory	fluid in the human bod	v other than blood.							
_0.	(1) Platelets	(2) RBC	(3) Lymph	(4)	Plasma					
29.	The major excretor	ry product in human bei	ngs is:							
	(1) Urea	(2) Ammonia	(3) Uric aci	d (4)	Ammonium chloride					
30.	In human beings ex	xcretory products are re	moved by the	in the ki	idneys.					
	(1) Pancreas	(2) Palate	(3) Nephron	ns (4)	Neurons					
31.		ms a common passage f								
	(1) Oviduct	(2) Ureter	(3) Urethra	(4)	Vas deferens					
32.		following shows the con	rrect sequence of th	e path of urine	in the human excretory					
	system? (1) Kidney \rightarrow U	rinary hladder → Ureter	· → Urethra							
	` '									
	(3) Kidney → Urethra → Urinary bladder → Ureter									
	(4) Kidney \rightarrow U	reter → Urinary bladder	· → Urethra							
33.	The reason why the right kidney is slightly lower than the left is									
	(1) the left kidney is bigger than right									
	-	pace occupied by the hea								
	` '	pace occupied by the live y is bigger than the left	er on the right side							
34.	Glycosuria is the to		(O) I C	11 11 1						
	(1) Loss of glucos(3) Loss of salts i		(2) Loss of (4) None of	blood in the uri	ne					
25	, ,		` '							
35.	In which part of the (1) Urinary bladd	e excretory system of th er (2) Ureter	•	e is it stored befo an's Capsule (4)	<u> </u>					
	•	, ,	(e) Bowing	ins cupsure (1)	Cicumu					
36.		lized by an organism to	1 (2) :1:	41 1 11 41	h					
		down the nutrient moled nment from the food		•	he nutrient molecules ounds indirectly					
25	` '		` ,		•					
37.	_	s,A use gills where	-		-					
	Amphibians like frogs can respire throughC also. Mammals have a well adapted respirator system. Select appropriate choice for the blanks A, B and C to complete the given statement.									
		ings, C-gills A-mammal								
	(2) A-fishes, B-lu	ings, C-dry skin								
	(3) A-fishes, B-lu	_								
	(4) A-mammals,	B-gills, C-moist skin								
38.		e process of respiration i	_	·						
	(1) Skin		(2) Head	ita antonian an 1						
	(3) Lungs		(4) Pores on	its anterior end						

39.	Which of the following is the function of the (1) Gaseous Exchange (3) Exhales the air from the body	e trachea? (2) Filters the air we breathe (4) All of the above	
40.	Which of the following functions by filtering (1) Cilia (2) Bronchioles	g and keeping the mucus and dirt away from our lung (3) Hairs in the lungs (4) All of the above	gs?
41.	In which part of the respiratory system, gased (1) Alveoli (2) Pharynx	ous exchange takes place? (3) Larynx (4) Trachea	
42.	In humans, the alternative pathway of respicompound called lactic acid is found in: (1) Muscle cells (2) Nerve cells	viration where pyruvate is converted into a three-ca (3) Alveoli of lungs (4) Intestinal villi	ırbon
43.	Statement II : Respiration involves breaking Statement III : The lungs are used for both re	changing gases between the blood and body cells. g down glucose with oxygen to release energy.	gs.
Her	edity & Evolution		
44.	Two pink-coloured flowers on crossing resunature of the cross will be: (1) single fertilization (2) self-pollination	ulted in 1 red, 2 pink and 1 white-flower progeny. (3) cross-fertilization (4) no fertilization	The
45.	A zygote which has an X chromosome inheri (1) boy (2) girl (3) X chromosome does not determine the se (4) either boy or girl	-	
46.		o green seeds. If a heterozygous yellow-seeded pla o of yellow and green-seeded plants would you expe (3) 1:3 (4) 50:50	
47.	The two versions of a trait (character) which situated on: (1) Copies of the same (homologous) chromo (2) Two different chromosomes (3) Sex chromosomes (4) Any Chromosomes	ich are brought in by the male and female gametes	s are
48.	Exchange of genetic material takes place in: (1) Vegetative reproduction (3) Sexual reproduction	(2) Asexual reproduction(4) Budding	

49. A cross between a tall plant (TT) and short plant (tt) resulted in progeny that were all tall plants as: (1) Tallness is the dominant trait (2) Shortness is the dominant trait (3) Tallness is the recessive trait (4) Height of plant is not governed by gene T or t 50. Who is known as the "Father of Genetics"? (1) Mendel (2) Morgan (3) Bateson (4) Watson 51. A cross between two individuals results in a ratio of 9:3: 3:1 for four possible phenotypes of progeny. This is an example of a (1) Monohybrid cross (2) Dihybrid cross (3) Test cross (4) F1 generation 52. What according to Mendel, was responsible for the inheritance of specific traits? (1) Genes (2) Factors (3) Chromosomes (4) DNA 53. Humans have two different sex chromosomes, X and Y. Based on Mendel's laws, a male offspring will inherit which combination of chromosomes? (1) Both the X chromosomes from one of its parents (2) Both the Y chromosomes from one of its parents (3) A combination of X chromosomes from either of its parents (4) A combination of X and Y chromosomes from either of its parents 54. Darwin's natural selection is based on: (1) Variations (2) Survival of the fittest (3) Law of use and disuse of organs (4) Law of inheritance of acquired characters 55. Natural selection works on (1) Genotype (3) Environment (4) All of these (2) Phenotype 56. 'Gene pool' is the sum total of genes present in (1) the single member of species (2) the interbreeding population of a species (3) the community of organisms (4) the parents of a member Match the Column I with Column II: 57. Column I Column II Inheritance of acquired character I. Darwin (i) II. De Vries (ii) Swan-Necked III Pasteur (iii) Natural Selection Ι Lamarck (iv) Mutational theory (1) I (iii), II (iv), III (ii), IV (i) (2) I (ii), II (i), III (iv), IV (iii) (3) I (iv), II (i), III (ii), IV (iii) (4) I (iv), II (i), III (iii), IV (ii) 58. The most significant character of a man from the evolution point of view is (1) foramen magnum shifted forward (2) larger cranial capacity (3) face is orthognathous (4) binocular vision 59. The CORRECT sequence of stages in evolution of Modern man/Homo sapiens sapiens is (1) Australopithecus \rightarrow Neanderthal man \rightarrow Homo erectus \rightarrow Cro-magnon man \rightarrow Modern man (2) Australopithecus \rightarrow Homo erectus \rightarrow Neanderthal man \rightarrow Cro-magnon \rightarrow Modern man (3) Neanderthal man \rightarrow Australopithecus \rightarrow Cro-magnon man, Homo erectus \rightarrow Modern man

(4) $Homo\ erectus \rightarrow Australopithecus \rightarrow Neanderthal\ man \rightarrow Cro-magnon\ man \rightarrow Modern\ man$

60.	The main weakness of Darwin's theory of Nat (1) Basis of variation (3) Struggle for existence	tural Selection was that it cou (2) Reason for natural selection (4) Prodigality of population	etion				
61.	Similarities in proteins and genes performing about common ancestry. This is						
	(1) Palaeontological evidences of evolution(3) Biochemical evidence	(2) Evidences from co(4) Phylogenetic evid	- ·				
62.	The homologous organs from the following Eyes of octopus and mammals Potato and sweet potato 	are (2) Flippers of pengui (4) Heart or brain of v					
63.	What is the most important requirement of evolution? (1) adaptation of acquired characters (2) genetic variation (3) natural selection (4) development anomaly						
Rep	oroduction						
64.	Identify the following organism						
	(1) Rhizobium (2) Rhizopus	(3) rhizoid	(4) mushroom.				
65.	Unisexual flowers contain	(2)					
	(1) both stamen and carpel(3) only carpel	(2) only stamen(4) either stamen or car	rpel				
66.	Asexual reproduction produces offspring that (1) genetically identical to their parents (3) none of the above		(2) genetically identical to their siblings				
67.	Which of the following is not a vegetative property (1) root (2) stem	ropagule ? (3) leaf	(4) seed				
68.	Which among the following statements are t (i) It requires two types of gametes. (ii) Fertilization is a compulsory event. (iii) It always results in formation of zygote (iv) Offspring formed are clones. (1) (i) and (iv) (2) (i), (ii) and (iv)	-					
69.	Out of two daughter cells produced as a result (1) one is large and the other is small (2) one is uninucleate and the other is without (3) one is spherical and the other is irregular (4). The two are nearly equal sized and identify	ut nucleus	oa				

70.	Testes in human male are located in scrota maturation	ll sac outside body because for sperm
	(1) it will be nearer to penis	(2) it requires lower temperature
	(3) it requires higher temperature	(4) to accommodate the large intestine
71.	The wall of the uterus has a layer of	_
	(1) Smooth muscles	(2) Striated muscles
	(3) Cardiac muscles	(4) None of the above
72.	The primary sex organs in female, apart from of production of	production of female gametes have the responsibility
	(1) Oestrogen & Progesteron	(2) Ovarian fluid
	(3) Hormone oxytocin	(4) Hormone prolactin
73.	If the two structurally identical individuals as probably be organisms	re taking part in sexual reproduction then they will
	(1) Asexual (2) Bisexual	(3) Hermaphrodite (4) None of the above
74.	disc shaped special tissue called placenta develo	(2) The uterine tissue
75.	If the vasa deferentia of a (1) sperms in the semen become nonmotile (3) testosterone will disappear from blood	man are surgically cut or blocked (2) spermatogenesis will not take place (4) semen will be without sperms
76.	Accessory sexual character in female is promote	ed by
	(1) androgen (2) progesterone	(3) oestrogen (4) testosterone.
77.	In the male human being, sperms contain autoso	omes and .
		(2) only one X-chromosome
	(3) both X and Y-chromosome	(4) either X or Y-chromosome
78.	The onset of menstruation at puberty in females	s is called
	(1) Menopause (2) Menarche	(3) Parturition (4) Ovulation
79.	Correct sequence of embryo development is (1) Gamete → Zygote → Morula → Blastula (3) Gamete → Zygote → Blastula → Morula	 (2) Zygote → Gamete → Morula → Blastula (4) Zygote → Gamete → Blastula → Morula
80.	Shortest phase in the menstruation cycly of wor (1) menses (2) luteal phase	nen is (3) ovulatory phase (4) follicular phase

PACE-IIT & MEDICAL

Answer Key

Physic

					J				
1.	(1)	2.	(1)	3.	(1)	4.	(2)	5.	(3)
6.	(2)	7.	(3)	8.	(4)	9.	(3)	10.	(2)
11.	(1)	12.	(3)	13.	(3)	14.	(2)	15.	(3)
16.	(2)	17.	(4)	18.	(1)	19.	(3)	20.	(1)
21.	(2)	22.	(1)	23.	(3)	24.	(2)	25.	(1)
26.	(4)	27.	(1)	28.	(3)	29.	(4)	30.	(3)
31.	(4)	32.	(3)	33.	(4)	34.	(1)	35.	(3)
36.	(1)	37.	(2)	38.	(3)	39.	(1)	40.	(3)
41.	(3)	42.	(2)	43.	(2)	44.	(1)	45.	(4)

Chemistry

1.	(3)	2.	(4)	3.	(1)	4.	(3)	5.	(4)
6.	(1)	7.	(1)	8.	(2)	9.	(1)	10.	(4)
11.	(3)	12.	(3)	13.	(2)	14.	(1)	15.	(3)
16.	(4)	17.	(3)	18.	(4)	19.	(2)	20.	(1)
21.	(3)	22.	(3)	23.	(2)	24.	(4)	25.	(2)
26.	(2)	27.	(4)	28.	(2)	29.	(1)	30.	(3)
31.	(3)	32.	(2)	33.	(4)	34.	(2)	35.	(2)
36.	(4)	37.	(3)	38.	(4)	39.	(3)	40.	(4)

Biology

				ומ	ology				
1.	(1)	2.	(2)	3.	(1)	4.	(1)	5.	(1)
6.	(2)	7.	(1)	8.	(1)	9.	(3)	10.	(4)
11.	(3)	12.	(2)	13.	(1)	14.	(1)	15.	(2)
16.	(1)	17.	(2)	18.	(3)	19.	(2)	20.	(1)
21.	(3)	22.	(1)	23.	(1)	24.	(3)	25.	(4)
26.	(3)	27.	(2)	28.	(3)	29.	(1)	30.	(3)
31.	(3)	32.	(4)	33.	(3)	34.	(1)	35.	(1)
36.	(1)	37.	(3)	38.	(1)	39.	(2)	40.	(1)
41.	(1)	42.	(1)	43.	(2)	44.	(3)	45.	(2)
46.	(4)	47.	(1)	48.	(3)	49.	(1)	50.	(1)
51.	(2)	52.	(2)	53.	(4)	54.	(2)	55.	(2)
56.	(2)	<i>5</i> 7.	(1)	58.	(2)	59.	(2)	60.	(1)
61.	(3)	62.	(4)	63.	(2)	64.	(2)	65.	(4)
66.	(4)	67.	(4)	68.	(3)	69.	(4)	70.	(2)
71.	(1)	72.	(1)	73.	(3)	74.	(3)	<i>75</i> .	(4)
76.	(3)	<i>77</i> .	(4)	78.	(2)	79.	(1)	80.	(3)

PACE-IIT & MEDICAL

Solution

SECTION - 1 (PHYSIC)

WORK, POWER, ENERGY

1. Soln.: (1)

$$W = \int_0^2 F dx = \int_0^2 3x^2 dx = 3 \cdot \left[\frac{x^3}{3} \right]_0^2 = 8J$$

2. Soln.: (1)

$$W = F \cdot d \cdot \cos \theta = 50 \cdot 4 \cdot \cos 60^{\circ} = 200 \cdot 0.5 = 100 J$$

3. Soln.: (1)

$$KE \propto v^2 \Rightarrow \frac{KE_2}{KE_1} = \left(\frac{v_2}{v_1}\right)^2 = 4 \Rightarrow v_2 = 2v_1$$

4. Soln.: (2)

$$PE = \frac{1}{2}kx^2 = \frac{1}{2} \cdot 400 \cdot (0.1)^2 = 2J$$

5. Soln.: (3)

$$P = \frac{W}{t} = \frac{1500}{120} = 12.5W$$

6. Soln.: (2)

W = mgh =
$$20 \cdot 10.2 = 400 \text{ J}, p = \frac{400}{5} = 80 \text{ W}$$

7. Soln.: (3)

$$KE_1 = \frac{1}{2} \cdot 2 \cdot 3^2 = 9J, KE_2 = \frac{1}{2} \cdot 6^2 = 36J \Rightarrow \Delta KE = 27J$$

8. Soln.: (4)

$$a = \frac{F}{m} = 5, m/s^2, s = \frac{1}{2}at^2 = \frac{1}{2} \cdot 5 \cdot 9 = 22.5m \Rightarrow W = F \cdot s = 10 \cdot 22.5 = 225J$$

9. Soln.:(3)

$$PE = mgh = 5 \cdot 10 \cdot 4 = 200 J \Rightarrow At bottom, KE = 200 J$$

10. Soln.: (2)

$$KE_i = \frac{1}{2} \cdot 0.01 \cdot 400^2 = 800J, \ \nu = \frac{0.01 \cdot 400}{1} = 4m/s \Rightarrow KE_f = \frac{1}{2} \cdot 1.4^2 = 8J, \ Loss = 792J$$

11. Soln.: (1)

Work done
$$= \int F dx = Area under F - x graph$$

$$s = \frac{1}{2}gt^2 = \frac{1}{2} \cdot 9.8 \cdot 4 = 19.6m$$
, $W = mgs = 1 \cdot 9.8 \cdot 19.6 = 192.08J$

W = P.t =
$$1000 \cdot 20 = 20000$$
J, $m = \frac{W}{gh} = \frac{20000}{10 \cdot 10} = 200$ kg

$$P = \frac{dK}{dt} = \frac{d}{dt}(3t^2) = 6t = 6 \cdot 2 = 12W$$

15. Soln.: (3)

Centripetal force is perpendicular to displacement, so work done is zero.

Light

- 16. Soln.: (2)
- 17. Soln.: (4)
- 18. Soln.: (1)
- 19. Soln.: (3)
- 20. Soln.: (1)
- 21. Soln.: (2)
- 22. Soln.: (1)
- 23. Soln.: (3)
- 24. Soln.: (2)
- 25. Soln.: (1)
- 26. Soln.: (4)
- 27. Soln.: (1)
- 28. Soln.: (3)
- 29. Soln.: (4)
- 30. Soln.: (3)

FORCE

31. Soln.: (4)

- 32. Soln.: (3)
- 33. Soln.: (4)
- 34. Soln.: (1)
- 35. Soln.: (3)
- 36. Soln.: (1)
- 37. Soln.: (2)
- 38. Soln.: (3)
- 39. Soln.: (1)
- 40. Soln.: (3)
- 41. Soln.: (3)
- 42. Soln.: (2)
- 43. Soln.: (2)
- 44. Soln.: (1)
- 45. Soln.: (4)

SECTION – 2 (CHEMISTRY)

PERIODIC CLASSIFICATION OF ELEMENT

- 1. Soln.: (3)
- 2. Soln.: (4)
- 3. Soln.: (1)
- 4. Soln.: (3)
- 5. Soln.: (4)
- 6. Soln.: (1)
- 7. Soln.: (1)
- 8. Soln.: (2)
- 9. Soln.:(1)
- 10. Soln.:(4)
- 11. Soln.:(3)

- 12. Soln.: (3)
- 13. Soln.: (2)
- 14. Soln.: (1)
- 15. Soln.:(3)
- 16. Soln.: (4)
- 17. Soln.: (3)
- 18. Soln.:(4)
- 19. Soln.: (2)
- 20. Soln.: (1)

CHEMICAL REACTION

- 21. Soln.: (3)
- 22. Soln.: (3)
- 23. Soln.: (2)
- 24. Soln.: (4)
- 25. Soln.: (2)
- 26. Soln.: (2)
- 27. Soln.: (4)
- 28. Soln.: (2)
- 29. Soln.: (1)
- 30. Soln.: (3)
- 31. Soln.: (3)
- 32. Soln.: (2)
- 33. Soln.: (4)
- 34. Soln.: (2)
- 35. Soln.: (2)
- 36. Soln.: (4)

- 37. Soln.: (3)
- 38. Soln.: (4)
- 39. Soln.: (3)
- 40. Soln.: (4)

SECTION – 3 (Biology)

- 1. Sol: (1)
- 2. Sol: (2)

Conversion of light energy to chemical energy.

- 3. Sol: (1)
- 4. Sol: (1) Stomata
- 5. Sol: (1)
- 6. Sol: (2)

Plants synthesize their food themselves

7. Sol: (1)

Photosynthesis is the process through which plan utilize sunlight to make food and it takes place

8. Sol: (1)

Absorbing light

9. Sol: (3)

Carotenoid

10. Sol: (4)

Photochemical process

11. Sol: (3)

 $6CO_2 + 12H_2O + Chlorophyll + Sunlight \rightarrow C6H_{12}O_6 + 6O_2 + 6H_2O$

- 12. Sol: (2)
- 13. Sol: (1)
- 14. Sol: (1)
- 15. Sol: (2)
- 16. Sol: (1)
- 17. Sol: (2)
- 18. Sol: (3)

- 19. Sol: (2)
- 20. Sol: (1)
- 21. Sol: (3)

Arteries carry blood away from the heart.

22. Sol: (1)

A patch of nodal tissue is present in the right upper corner of the right atrium called the sino-atrial node (SAN).

23. Sol: (1)

Pacemakers are electronic devices that stimulate the heart with electrical impulses to maintain or restore a normal heartbeat.

- 24. Sol: (3)
- 25. Sol: (4)
- 26. Sol: (3)
- 27. Sol: (2)
- 28. Sol: (3)
- 29. Sol: (1)
- 30. Sol: (3)
- 31. Sol: (3)
- 32. Sol: (4)
- 33. Sol: (3)
- 34. Sol: (1)

Loss of glucose in the urine

35. Sol: (1)

Urinary bladder

- 36. Sol: (1)
- 37. Sol: (3)
- 38. Sol: (1) Skin.
 - SKIII.
- 39. Sol: (2)

Filters the air we breathe.

40. Sol. (1)

Cilia.

- 41. Sol. (1)
 - Alveoli.
- 42. Sol. (1)
- 43. Sol. (2)
- 44. Sol: (3)
- 45. Sol: (2)
- 46. Sol: (4)
- 47. Sol: (1)
- 48. Sol: (3)
- 49. Sol: (1)

Tallness is the dominant trait

- 50. Sol: (1)
- 51. Sol: (2)

Dihybrid cross

- 52. Sol: (2)
- 53. Sol: (4)
- 54. Sol: (2)
- 55. Sol: (2)

Nature selects favourable variations i.e phenotypic characters in organisms.

56. Sol: (2)

XII NCERT pg 136

- 57. Sol: (1)
- 58. Sol: (2)
- 59. Sol: (2)

XII NCERT pg 140

- 60. Sol: (1)
- 61. Sol: (3)

XII NCERT pg 129

62. Sol: (4)

XII NCERT pg 130

63. Sol: (2)

- 64. Sol: (2)
- 65. Sol: (4)
- 66. Sol: (4)
- 67. Sol: (4)
- 68. Sol: (3)
- 69. Sol: (4)
- 70. Sol: (2)
- 71. Sol: (1)
- 72. Sol: (1)
- 73. Sol: (3)
- 74. Sol: (3)
- 75. Sol: (4)
- 76. Sol: (3)
- 77. Sol: (4)
- 78. Sol: (2)
- 79. Sol: (1)
- 80. Sol: (3)